




tags & source tagging

RF Tag Catalog 2010

Contents

2	CONTENTS
3	SPECIFICATIONS
3	ARTICLE NUMBERS HARD TAGS
5	ARTICLE NUMBERS DETACHERS
5	ARTICLE NUMBERS DETACHER LOCKS
6	HARD TAGS
7	HEART TAG
8	FLOWER TAG
9	OPEN TAG
10	R ₄₀ TAG
12	R ₅₀ TAG
14	R ₅₀ S SHOE TAG
16	R ₅₀ C TAG
17	R ₅₀ M TAG
19	R ₅₀ U TAG
21	SPIDER TAG
22	DETACHERS
23	DETACHER DN ₅₇
24	DETACHER DX ₅₃
25	DETACHER DX ₇₅
26	DETACHER DX ₅₀ U
27	DETACHER DX UNI

Specifications

Hard Tags

Part Number	Description	Lock	Detacher	Tags/Box	Remarks
Nedap Flower Tag Q>125 E.V.>3.4 Liter					
9912045	TAG+PIN 8,2MHz FLOWER GREEN-YELLOW	Strong	DX50U / DX53 / DX75 / DX-UNI	500	
Nedap heart Tag Q>115 E.V.>1.8 Liter					
9930604	TAG+PIN 8,2MHz HEART RED	Strong	DX50U / DX-UNI	500	
Nedap Open Tag Q>145 E.V.> 4.8 Liter					
9930612	TAG+PIN 8,2MHz OPEN RED	Strong	DX50U / DX-UNI	500	
Nedap Tag R4oMX					
9911901	TAG+PIN 8,2MHz R4oMX Ivory	Strong	DX50U / DX-UNI	500	
9913653	TAG+PIN 8,2MHz R4oMX Black	Strong	DX50U / DX-UNI	500	
Nedap Tag R4oMX-I					
9937099	INK TAG+PIN 8.2MHz R4oMX-I Ivory	Strong	DX50U / DX-UNI	500	Ink Tag
9937102	INK TAG+PIN 8.2MHz R4oMX-I Black	Strong	DX50U / DX-UNI	500	Ink Tag
Nedap Tag R5o Standard Tag Q>130 E.V.> 4.3 Liter					
9884688	TAG 8.2MHz R5oN Ivory	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	
9885676	TAG 8.2MHz R5oN Black	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	
9884670	TAG 8.2MHz R5oX Ivory	Strong	DX50U / DX53 / DX75 / DX-UNI	500	
9885757	TAG 8.2MHz R5oX Black	Strong	DX50U / DX53 / DX75 / DX-UNI	500	
Nedap Tag R5oS Shoe Tag Q>130 E.V.> 4.3 Liter					
9885684	TAG 8.2MHz R5oSN Ivory	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	Shoe Tag
9885714	TAG 8.2MHz R5oSN Black	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	Shoe Tag
9885765	TAG 8.2MHz R5oSX Ivory	Strong	DX50U / DX53 / DX75 / DX-UNI	500	Shoe Tag
9885790	TAG 8.2MHz R5oSX Black	Strong	DX50U / DX53 / DX75 / DX-UNI	500	Shoe Tag
Nedap Tag R5oC Central Lock Q>150 E.V.>5.5 Liter					
9886346	TAG 8.2MHz R5oCN Ivory	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	
9886427	TAG 8.2MHz R5oCN Black	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	

Part Number	Description	Lock	Detacher	Tags/Box	Remarks
9886338	TAG 8.2MHz R50CX Ivory	Strong	DX50U / DX53 / DX75 / DX-UNI	500	
9886419	TAG 8.2MHz R50CX Black	Strong	DX50U / DX53 / DX75 / DX-UNI	500	
Nedap Tag R50C-I Central Lock Ink Q>150 E.V.>5.5 Liter					
9934871	TAG 8.2MHz R50CN-I Ivory	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	InK Tag
9934898	TAG 8.2MHz R50CN-I Black	Normal	DX50U / DX53 / DX75 / DN57 / DX-UNI	500	InK Tag
9934901	TAG 8.2MHz R50CX-I Ivory	Strong	DX50U / DX53 / DX75 / DX-UNI	500	InK Tag
9934910	TAG 8.2MHz R50CX-I Black	Strong	DX50U / DX53 / DX75 / DX-UNI	500	InK Tag
Nedap Tag R50MX Q>130 E.V.> 4.3 Liter					
9911936	TAG + PIN 8.2 MHz R50MX Ivory	Strong	DX50U / DX-UNI	500	
9913602	TAG + PIN 8.2 MHz R50MX Black	Strong	DX50U / DX-UNI	500	
Nedap Tag R50MX-I Q>130 E.V.> 4.3 Liter					
9911952	TAG + PIN 8.2 MHz R50MX-I Ivory	Strong	DX50U / DX-UNI	500	Ink Tag
9913637	TAG + PIN 8.2 MHz R50MX-I Black	Strong	DX50U / DX-UNI	500	Ink Tag
Nedap Tag R50UX Q>130 E.V.> 4.3 Liter					
9908307	TAG+PIN 8.2MHz R50UX Ivory	Strong	DX50U / DX-UNI	500	
9909265	TAG+PIN 8.2MHz R50UX Black	Strong	DX50U / DX-UNI	500	
Nedap Tag R50 UX-I Q>130 E.V.> 4.3 Liter					
9908315	TAG+PIN 8.2MHz R50UX-I Ivory	Strong	DX50U / DX-UNI	500	Ink Tag
9909273	TAG+PIN 8.2MHz R50UX-I Black	Strong	DX50U / DX-UNI	500	Ink Tag
Nedap Spider Tag					
9938125	TAG 8.2MHz Spider 2-Alarm	Strong	DX50U / DX53 / DX75 / DX-UNI	150	

Detachers

Part Number	Description
Nedap Detacher DN57	
9863508	Detacher DN57 Desk Top
Nedap Detacher DX50U	
9901841	Detacher DX50U Desk Top
9901639	Detacher DX50U Table Mount
Nedap Detacher DX53	
9885374	Detacher DX53 Desk Top
9885382	Detacher DX53 Hand Held
Nedap Detacher DX75	
9885366	Detacher DX75 Table Mount
Nedap detacher DX-Uni	
9945091	Detacher DX-Uni Desktop + Table Mount

Detacher Locks

Part Number	Description
Nedap Detacher Lock DN57	
9832343	Detacher Lock DN57
Nedap Detacher Lock DX50U	
9902139	Detacher Lock DX50U
Nedap Detacher Lock DX53 & DX75	
9885447	Detacher Lock DX53 & DX75

Hard Tags

heart tag







specifications

- Pulling force more than 700 N
- Easy detaching using a Nedap Universal detacher
- Small and attractive design
- Optimal detection, because of advanced coil and lock design

technical specifications

- | | |
|---------------------------|------------------------|
| • Size | 43,5 mm |
| • Pulling force | > 700N |
| • Resonance Frequency | 8.2 MHz +/- 5% |
| • Effective Signal Volume | > 1800 cm ³ |
| • Quality Factor | > 115 |
| • Packing order quantity | 500 pcs (=1box) |



flower tag









specifications

- Pulling force more than 700 N
- Easy detaching using a Nedap Universal detacher
- Small and attractive design
- Optimal detection, because of advanced coil and lock design

technical specifications

- | | |
|---------------------------|------------------------|
| • Size | 55.5 mm |
| • Pulling force | > 700N |
| • Resonance Frequency | 8.2 MHz +/- 5% |
| • Effective Signal Volume | > 3400 cm ³ |
| • Quality Factor | > 125 |
| • Packing order quantity | 500 pcs (=1box) |











specifications

- Pulling force more than 700 N
- Easy detaching using a Nedap Universal detacher
- Small and attractive design
- Optimal detection, because of advanced coil and lock design

technical specifications

- | | |
|---------------------------|------------------------|
| • Size | 55.5 mm |
| • Pulling force | > 700N |
| • Resonance Frequency | 8.2 MHz +/- 5% |
| • Effective Signal Volume | > 3400 cm ³ |
| • Quality Factor | > 125 |
| • Packing order quantity | 500 pcs (=1box) |



r40 tag

THE R40M TAG IS AVAILABLE IN IVORY AND BLACK AND CONTAINS AN EXTRA STRONG LOCK. THE TAG WILL BE DELIVERED WITH A PIN. THE R40M IS ALSO AVAILABLE AS AN INK-TAG, FITTED WITH INK CAPSULES.



specifications

- Pulling force more than 700 N
- Easy (web based) detaching using a Nedap detacher
- Attractive and secure shell shaped design
- Superior detection
- Dust repellent, antistatic
- Delivered including pin
- Available in ivory and black, with or without ink capsules


easy tag & tag




technical specifications

- Size : $\varnothing 42$ mm
- Pulling force : > 700 N
- Resonance Frequency : 8.2 MHz $\pm 5\%$
- Effective Signal Volume : > 1600 cm³
- Quality Factor : > 115
- Packing order quantity : 500 pcs (=1box)

r40 tag



r40 pin



guiding
&
tags

r50 tag

THE R50 IS AVAILABLE WITH A NORMAL LOCK (N) OR AN EXTRA STRONG LOCK (X) IN THE COLORS IVORY AND BLACK.



specifications



- Pulling force more than 700 N
- Easy (web based) detaching using a Nedap detacher
- Small and attractive designs
- Superior detection, because of advanced coil and lock design
- Dust repellent, antistatic
- Integrated protection against cutting

equipping
& tag



technical specifications

- Size : $\varnothing 51.5$ mm
- Pulling force : > 700 N
- Resonance Frequency : 8.2 MHz $\pm 5\%$
- Effective Signal Volume : > 4300 cm³
- Quality Factor : > 130
- Packing order quantity : 500 pcs (=1box)



guiding
&
tag's

r50s shoe tag

THE R50S SHOE TAG IS AVAILABLE WITH A NORMAL LOCK (N) OR AN EXTRA STRONG LOCK (X) IN THE COLORS IVORY AND BLACK.





specifications

- Special design for attachment to shoes
- Pulling force more than 700 N
- Easy (web based) detaching using a Nedap detacher
- Small and attractive designs
- Superior detection, because of advanced coil and lock design
- Dust repellent, antistatic
- Integrated protection against cutting



technical specifications

- Size : $\varnothing 51.5$ mm
- Pulling force : > 700 N
- Resonance Frequency : 8.2 MHz $\pm 5\%$
- Effective Signal Volume : > 4300 cm³
- Quality Factor : > 130
- Packing order quantity : 500 pcs (=1box)



guiding
&
tag's

r50c tag

THE R50C TAG IS A TAG WITH A CENTRAL LOCK. THE TAG IS AVAILABLE IN IVORY AND BLACK AND ARE AVAILABLE WITH A NORMAL LOCK (CN) OR AN EXTRA STRONG LOCK (CX).





specifications

- Pulling force more than 700 N
- Easy (web based) detaching using Nedap detacher
- Superior detection, because of advanced coil and lock design
- Dust repellent, antistatic
- Integrated protection against cutting

technical specifications

- | | |
|---------------------------|--------------------------|
| • Size | : Ø55.5 mm |
| • Pulling force | : >700N |
| • Resonance Frequency | : 8.2 MHz +/- 5% |
| • Effective Signal Volume | : > 4300 cm ³ |
| • Quality Factor | : > 130 |
| • Packing order quantity | : 500 pcs (=1box) |



r50m tag

THE R50M TAG IS AVAILABLE IN THE COLORS IVORY AND BLACK AND CONTAINS AN EXTRA STRONG LOCK. TO MAKE THE R50M TAG AN EVEN MORE POWERFUL DETERRENT, THE TAG CAN BE ORDERED INCLUDING THREE INK CARTRIDGES HIDDEN INSIDE THE SHELL SHAPED TAG.



specifications

- Easy (web based) detaching using a Nedap detacher
- Attractive and secure shell shaped design
- Superior detection
- Dust repellent, antistatic
- Delivered including the pin
- Available in ivory and black
- Also available with ink cartridges



guiding
tag
&
tag






technical specifications

- Size : Ø55.5 mm
- Pulling force : >700N
- Resonance Frequency : 8.2 MHz +/- 5%
- Effective Signal Volume : > 4300 cm³
- Quality Factor : > 130
- Packing order quantity : 500 pcs (=1box)

r50m




r50m Ink tag




3x ink ampoule, colors:
red, yellow and green

r50m pin



r50m + pin



r50u tag


THE R50U TAG IS AVAILABLE IN THE COLORS IVORY AND BLACK AND CONTAINS AN EXTRA STRONG LOCK. TO MAKE THE R50U TAG AN EVEN MORE POWERFUL DETERRENT, THE TAG CAN BE ORDERED INCLUDING THREE INK CARTRIDGES HIDDEN INSIDE THE SHELL SHAPED TAG.



specifications

- Easy (web based) detaching using a Nedap detacher
- Attractive and secure shell shaped design
- Superior detection
- Dust repellent, antistatic
- Delivered including the pin
- Available in ivory and black
- Also available with ink cartridges



guiding
&
tag





technical specifications

- Size : Ø55.5 mm
- Pulling force : >700N
- Resonance Frequency : 8.2 MHz +/- 5%
- Effective Signal Volume : > 4300 cm³
- Quality Factor : > 130
- Packing order quantity : 500 pcs (=1box)

r50u




r50u Ink tag




3x ink ampoule, colors:
red, yellow and green

r50u pin



r50u + pin



spider tag

THE NEDAP SPIDER TAG IS ESPECIALLY DESIGNED TO PROTECT EXPENSIVE MERCHANDISE PACKED IN BOXES. THE TAG IS SELF-ALARMING WHEN A WIRE IS CUT OR WHEN IT IS DETECTED BETWEEN EAS ANTENNAS.



specifications

- 8.2 MHz
- Easy (web based) detaching using a Nedap detacher
- Self alarming, when a wire is cut or when detected between eas antennas
- Superior detection, because of advanced coil and lock design
- Dust repellent, antistatic
- Cable length 1.20mtr

Detachers

detacher dn57

MAGNETIC DETACHERS FOR NEDAP HARD TAGS WITH
A 'NORMAL' LOCK.



specifications

- Magnetic detacher useable for several Nedap tags like R50 and R50C with a 'normal' lock.
- Available as desk top detacher




options

- Detacher lock DN57

guiding
& tagging
tags

de­tacher dx53

MAGNETIC DETACHERS FOR NEDAP HARD TAGS WITH 'NORMAL' LOCK AS WELL AS 'STRONG' LOCK.



specifications

- Magnetic detacher useable for several Nedap tags like R50, R50C and Spider tag with 'normal' lock as well as with 'strong' lock.
- Available in two types:
 - Desk Top
 - Hand held (incl wire)


options

- Detacher lock

guiding
&
tag
tag

detacher dx75

MAGNETIC DETACHERS FOR NEDAP HARD TAGS WITH 'NORMAL' LOCK AS WELL AS 'STRONG' LOCK.



specifications


- Magnetic detacher useable for several Nedap tags like R50, R50C and Spider tag with 'normal' lock as well as with 'strong' lock.
- Available as table mount detacher

options

- Detacher lock

detacher dx50u

MAGNETIC DETACHER TO DETACH NEDAP SHELL SHAPED HARD TAGS WITH 'NORMAL' LOCK AS WELL AS 'STRONG' LOCK.




specifications

- Magnetic detacher useable for Nedap R40M, R50M and R50U tags with 'normal' lock as well as with 'strong' lock.
- Available in three types:
 - Desk Top
 - Table mount

options

- Detacher lock



detacher dx uni

THE UNIVERSAL DETACHER CAN BE USED WITH NEDAP HARD TAGS AND ACCESSORIES WITH 'NORMAL-' AS WELL AS 'STRONG' LOCKS. DUE TO THE SHAPE, THIS DETACHER CAN BE USED FOR ALL TYPES OF HARD TAGS AND ACCESSORIES, LIKE SAFERS, SPIDER TAGS, FLOWER TAGS, HEART TAGS AND STANDARD HARD TAGS.




specifications

- Magnetic detacher useable for all Nedap Retail hard tags with normal- and strong locks, spider tags and safers.
- Including adapter rings for:
 - Desk Top
 - Build into packing table


guiding
tag
&
tag



table mount



desk top



tagging & tagging







